



ROSALIE RUFFINO - SPRAGUE ENER (V-03-1575)

ANALYTICAL REPORT NO: 440712/ P41302768

SHORE TANK #3 (AFTER DISCHARGE T/B KTC 90) SPRAGUE ENERGY, BUCKSPORT, ME # 6 FUEL OIL ON OCTOBER 20, 2003

<u>TESTS</u>	<u>METHODS</u>	RESULTS
GRAVITY, API @ 60 DEG F. FLASH POINT, F SEDIMENT & WATER, VOL. % SEDIMENT BY EXTRACTION, WT. % VISCOSITY, @ 122 F, SFS/CST POUR POINT, C SULFUR, WT. % ASH, WT. % GROSS BTU, LB. / GAL. NITROGEN, WT. % ASPHALTENES, WT. % CONRADSON CARBON RES. WT. %	ASTM D 4052 ASTM D 93 ASTM D 1796 ASTM D 473 ASTM D 445 ASTM D 97 ASTM D 4294 ASTM D 482 CALCULATED ASTM D 5762 IP 143 ASTM D 189	14.0 196 0.30 0.07 173.2/367.0 +6 0.489 0.06 18,685/151,330 0.39 3.2 10.8
WATER BY DISTILLATION, VOL. % SODIUM, PPM WT. VANADIUM, PPM WT.	ASTM D 95 ASTM D 5863 ASTM D 5863	0.1 23 13

SPRAGUE PROVIDES THE ATTACHED INSPECTION REPORT/ANALYSIS REPRESENTING THE SPECIFICATIONS OF THE PRODUCT AT THE SPRAGUE TERMINAL IN TANK ON THE DATE OF INSPECTION NOTED ON THE CERTIFICATE. THIS ANALYSIS IS PROVIDED TO THE CUSTOMER FOR THE PURPOSE OF ESTABLISHING THE INDEPENDENTLY VERIFIED PRODUCT SPECIFICATION ON A COMPOSITE BASIS IN SPRAGUES TERMINAL SHORE TANK AS NOTED ON THE CERTIFICATE, THE INSPECTION REPORT IS NOT TO BE USED FOR ANY OTHER PURPOSE. SPRAGUE DISCLAIMS ANY LIABILITY FOR THE PRODUCT AFTER DELIVERY BY SPRAGUE TO CUSTOMER. SPRAGUE DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR AN INTENDED USE EXCEPT AS MAY BE SPECIFICALLY SET FORTH IN WRITING IN ANY CONTRACT OR TERMS OF SALE BETWEEN SPRAGUE AND A BUYER OF PRODUCT, SPRAGUE ASSUMES NO LIABILITY FOR CLAIMS OR LOSSES THAT MAY ARISE FROM CUSTOMER'S USE OF THIS INSPECTION REPORT/ANALYSIS.

JEFFREY L. SEELEY

SGS OIL, GAS & CHEMICALS BOSTON - OCTOBER 21, 2003

SGS North America Inc.

Oil, Gas & Chemical Servives Division, 324 Marginal Street, Chelsea, MA 02150

t (617) 889-0773 f (617) 889-3029 www.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

Approved, 7/16/02 S.Mitchell